

## Escala FLACC

Categorías	Puntuación		
	0	1	2
<b>Face</b> (expresión facial)	Ninguna expresión en particular o sonríe	Hace muecas o ocasionalmente frunce el ceño, retirado, sin interés	Frunce el ceño mucho o constantemente; menton tiembla; mandíbula apretada
<b>Legs</b> (piernas)	Posición normal o relajada	Está inquieto, tenso	Esta pateando o tiene las piernas hacia arriba
<b>Activity</b> (actividad)	Está acostado calladamente, posición normal, se mueve fácilmente	Se retuerce, cambia de posiciones con frecuencia, tenso	Está arqueado, rígido o sacudiéndose
<b>Cry</b> (llorar)	No está llorando (despierto o dormido)	Esta lloriqueando o se pone a gemir; se queja ocasionalmente	Llora continuamente, grita o solloza; se queja con frecuencia
<b>Consolability</b> (consolar)	Está contento, relajado	Se tranquiliza al ser tocado, abrazado o al hablarle; se puede distraer	Es difícil de consolar o de proveer comodidad

**Nota:** Cada una de las 5 categorías recibe una puntuación del 0-2, lo cual resulta en una puntuación total entre el 0-10. From Merkel, Voepel-Lewis, Shayevitz, & Malviya (1997). The FLACC: A behavioral scale for scoring postoperative pain in young children. *Pediatric Nursing*, 23(3) 293-297.

## Escala de dolor



0

Sin dolor



2

Duele un poco



4

Duele un poco más



6

Duele mucho



8

Duele mucho más



10

Duele al máximo

## FLACC SCALE

Categories	Scoring		
	0	1	2
<b>F</b> ace	No particular expression or smile	Occasional grimace or frown, withdrawn, disinterested	Frequent to constant frown, quivering chin, clenched jaw
<b>L</b> egs	Normal position or relaxed	Uneasy, restless, tense	Kicking or legs drawn up
<b>A</b> ctivity	Lying quietly, normal position, moves easily	Squirming, shifting back and forth, tense	Arched, rigid, or jerking
<b>C</b> ry	No cry (awake or asleep)	Moans or whimpers; occasional complaint	Drying steadily, screams or sobs, frequent complaints
<b>C</b> onsolability	Content, relaxed	Reassured by occasional touching, hugging, or being talked to; distractible	Difficult to console or comfort

**Note:** Each of the five categories Face (F), Legs (L), Activity (A), Cry (C), and Consolability (C) is scored from 0-2, which results in a total score between 0-10. From Merkel, Voepel-Lewis, Shayevitz, & Malviya (1997). The FLACC: A behavioral scale for scoring postoperative pain in young children. *Pediatric Nursing*, 23(3) 293-297.

## PAIN SCALE



0 NO HURT



2 HURTS LITTLE BIT



4 HURTS LITTLE MORE



6 HURTS EVEN MORE



8 HURTS WHOLE LOT



10 HURTS WORST